

Argatroban Rate Adjustment For Non-Cath Lab Patients With HIT

Current Rate ml/hr	aPTT (Seconds)				
	33 or less	34-39	40-83	84-96	97 or higher
	New Rate (ml/hr)				
0.2	0.3	0.3	No Change	0.2	0.1
0.3	0.5	0.4	No Change	0.2	0.2
0.4	0.6	0.5	No Change	0.3	0.2
0.5	0.8	0.6	No Change	0.4	0.3
0.6	0.9	0.8	No Change	0.5	0.3
0.7	1.1	0.9	No Change	0.5	0.4
0.8	1.2	1	No Change	0.6	0.4
0.9	1.4	1.1	No Change	0.7	0.5
1	1.5	1.3	No Change	0.8	0.5
1.1	1.7	1.4	No Change	0.8	0.6
1.2	1.8	1.5	No Change	0.9	0.6
1.3	2	1.6	No Change	1	0.7
1.4	2.1	1.8	No Change	1.1	0.7
1.5	2.3	1.9	No Change	1.1	0.8
1.6	2.4	2	No Change	1.2	0.8
1.7	2.6	2.1	No Change	1.3	0.9
1.8	2.7	2.3	No Change	1.4	0.9
1.9	2.9	2.4	No Change	1.4	1
2	3	2.5	No Change	1.5	1
2.1	3.2	2.6	No Change	1.6	1.1
2.2	3.3	2.8	No Change	1.7	1.1
2.3	3.5	2.9	No Change	1.7	1.2
2.4	3.6	3	No Change	1.8	1.2
2.5	3.8	3.1	No Change	1.9	1.3
2.6	3.9	3.3	No Change	2	1.3
2.7	4.1	3.4	No Change	2	1.4
2.8	4.2	3.5	No Change	2.1	1.4
2.9	4.4	3.6	No Change	2.2	1.5
3	4.5	3.8	No Change	2.3	1.5
3.1	4.7	3.9	No Change	2.3	1.6
3.2	4.8	4	No Change	2.4	1.6
3.3	5	4.1	No Change	2.5	1.7
3.4	5	4.3	No Change	2.6	1.7
3.5	5	4.4	No Change	2.6	1.8
3.6	5	4.5	No Change	2.7	1.8
3.7	6	4.6	No Change	2.8	1.9
3.8	6	4.8	No Change	2.9	1.9
3.9	6	4.9	No Change	2.9	2
4	6	5	No Change	3	2
4.1	6	5	No Change	3.1	2.1
4.2	6	5	No Change	3.2	2.1
4.3	6	5	No Change	3.2	2.2
4.4	7	6	No Change	3.3	2.2
4.5	7	6	No Change	3.4	2.3
4.6	7	6	No Change	3.5	2.3
4.7	7	6	No Change	3.5	2.4
4.8	7	6	No Change	3.6	2.4
	New Rate (ml/hr)				
Current Rate ml/hr	33 or less	34-39	40-83	84-96	97 or higher

If aPTT is greater than 100 seconds, stop argatroban, drawn aPTT every 2 hours until aPTT is within therapeutic range, then restart argatroban at new rate.

Argatroban Rate Adjustment For Non-Cath Lab Patients With HIT

Current Rate ml/hr	aPTT (Seconds)				
	33 or less	34-39	40-83	84-96	97 or higher
	New Rate (ml/hr)				
4.9	7	6	No Change	3.7	2.5
5	8	6	No Change	3.8	2.5
6	9	8	No Change	4.5	3
7	11	9	No Change	5	3.5
8	12	10	No Change	6	4
9	14	11	No Change	7	4.5
10	15	13	No Change	8	5
11	17	14	No Change	8	6
12	18	15	No Change	9	6
13	20	16	No Change	10	7
14	21	18	No Change	11	7
15	23	19	No Change	11	8
16	24	20	No Change	12	8
17	26	21	No Change	13	9
18	27	23	No Change	14	9
19	29	24	No Change	14	10
20	30	25	No Change	15	10
21	32	26	No Change	16	11
22	33	28	No Change	17	11
23	35	29	No Change	17	12
24	36	30	No Change	18	12
25	38	31	No Change	19	13
26	39	33	No Change	20	13
27	41	34	No Change	20	14
28	42	35	No Change	21	14
29	44	36	No Change	22	15
30	45	38	No Change	23	15
31	47	39	No Change	23	16
32	48	40	No Change	24	16
33	50	41	No Change	25	17
34	51	43	No Change	26	17
35	53	44	No Change	26	18
36	54	45	No Change	27	18
37	56	46	No Change	28	19
38	57	48	No Change	29	19
39	59	49	No Change	29	20
40	60	50	No Change	30	20
41	62	51	No Change	31	21
42	63	53	No Change	32	21
43	65	54	No Change	32	22
44	66	55	No Change	33	22
45	68	56	No Change	34	23
46	69	58	No Change	35	23
47	71	59	No Change	35	24
48	72	60	No Change	36	24
49	74	61	No Change	37	25
50	75	63	No Change	38	25
	New Rate (ml/hr)				
Current Rate ml/hr	33 or less	34-39	40-83	84-96	97 or higher

If aPTT is greater than 100 seconds, stop argatroban, drawn aPTT every 2 hours until aPTT is within therapeutic range, then restart argatroban at new rate

Argatroban Rate Adjustment For Non-Cath Lab Patients With HIT

Current Rate ml/hr	aPTT (Seconds)				
	33 or less	34-39	40-83	84-96	97 or higher
	New Rate (ml/hr)				
51	77	64	No Change	38	26
52	78	65	No Change	39	26
53	80	66	No Change	40	27
54	81	68	No Change	41	27
55	83	69	No Change	41	28
56	84	70	No Change	42	28
57	86	71	No Change	43	29
58	87	73	No Change	44	29
59	89	74	No Change	44	30
60	90	75	No Change	45	30
61	92	76	No Change	46	31
62	93	78	No Change	47	31
63	95	79	No Change	47	32
64	96	80	No Change	48	32
65	98	81	No Change	49	33
66	99	83	No Change	50	33
67	101	84	No Change	50	34
68	102	85	No Change	51	34
69	104	86	No Change	52	35
70	105	88	No Change	53	35
71	107	89	No Change	53	36
72	108	90	No Change	54	36
73	110	91	No Change	55	37
74	111	93	No Change	56	37
75	113	94	No Change	56	38
76	114	95	No Change	57	38
77	116	96	No Change	58	39
78	117	98	No Change	59	39
79	119	99	No Change	59	40
80	120	100	No Change	60	40
81	122	101	No Change	61	41
82	123	103	No Change	62	41
83	125	104	No Change	62	42
84	126	105	No Change	63	42
85	128	106	No Change	64	43
86	129	108	No Change	65	43
87	131	109	No Change	65	44
88	132	110	No Change	66	44
89	134	111	No Change	67	45
90	135	113	No Change	68	45
91	137	114	No Change	68	46
92	138	115	No Change	69	46
93	140	116	No Change	70	47
94	141	118	No Change	71	47
95	143	119	No Change	71	48
96	144	120	No Change	72	48
97	146	121	No Change	73	49
98	147	123	No Change	74	49
99	149	124	No Change	74	50
100	150	125	No Change	75	50
	New Rate (ml/hr)				
Current Rate ml/hr	33 or less	34-39	aPTT (Seconds) 40-83	84-96	97 or higher

If aPTT is greater than 100 seconds, stop argatroban, drawn aPTT every 2 hours until aPTT is within therapeutic range, then restart argatroban at new rate

Marshall Pierce PharmD