

DRUG NAME **ISOPROTERENOL**
 DRUG AMOUNT **2 MG**
 FINAL VOLUME **250 ML D5W**
 FINAL CONCENTRATION **8 MCG/ML**

USUAL DOSE 0.5-5 MCG/MIN

INSTRUCTIONS: 1) FIND THE COLUMN FOR THE DESIRED DOSAGE IN MCG/MIN
 2) LOCATE THE RATE IN ML/HR IN THE ROW BELOW

CONTINUOUS INFUSION

| DOSE (MCG/MIN) | | | | | | | | | | | | | |
|----------------|---|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 0.5 | 1 | 1.5 | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 | 6 | 6.5 | 7 |
| 4 | 8 | 11 | 15 | 19 | 23 | 26 | 30 | 34 | 38 | 41 | 45 | 49 | 53 |
| RATE (ML/HR) | | | | | | | | | | | | | |

| DOSE (MCG/MIN) | | | | | | | | | | | | | |
|----------------|-----|----|-----|----|------|----|------|----|------|----|------|-----|------|
| 8 | 8.5 | 9 | 9.5 | 10 | 10.5 | 11 | 11.5 | 12 | 12.5 | 13 | 13.5 | 14 | 14.5 |
| 60 | 64 | 68 | 71 | 75 | 79 | 83 | 86 | 90 | 94 | 98 | 101 | 105 | 109 |
| RATE (ML/HR) | | | | | | | | | | | | | |

| DOSE (MCG/MIN) | | | | | | | | | | | | | |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| 113 | 120 | 128 | 135 | 143 | 150 | 158 | 165 | 173 | 180 | 188 | 195 | 203 | 210 |
| RATE (ML/HR) | | | | | | | | | | | | | |